

RESEARCH ARTICLE

**EFFECT OF SHWETHA PARPATI
IN MUTRAKRICHRA: AN ARTICLE
REVIEW**

* Dr.Geethu Balakrishnan, Dr. Vineeth P K, Dr.Ramesh N V

Department of Rasashastra and Bhaishajya Kalpana,

School of Ayurveda, Amrita University Kollam, Kerala,
INDIA

Correspondence

Dr.Geethu Balakrishnan, PG
Scholar, Department of
Rasashastra and Bhaishajya
Kalpana, School of
Ayurveda, Amrita University,
Kollam, Kerala, INDIA

Keywords

Shwethaparpati,
Mutrakrichra, Dysuria

Received

02 January 2017

Reviewed

10 January 2017

Accepted

17 January 2017

ABSTRACT

Mutrakrichra is an important disease pertaining to the *mutravaha shrotas*, and has been mentioned in almost all *Ayurvedic* classical texts. It is a condition in which difficulty in micturation is a main symptom affecting the daily activities of the person. Based on the theoretical and clinical symptomatology it is being correlated to dysuria. In modern medicine there are a number of medicines indicated, but they have side effects and are addictive drugs. *Shwetha parpati*, a *parpati kalpana* is indicated for *mutrakrichra* and *mutra asmari*, is not an addictive preparation and has multidimensional property, hence it can be withdrawn at any point of time, whereas modern drugs may cause metabolic disorders and might be habitual. Easy method of preparation and very minute dosage adds on to the benefits of this kalpana. This paper is an effort done to assess the mode of action of the drug considering the potential of each ingredient: *suryakshara*, *sphatika* and *navasadara*. Detailed review of literature, including the recent research works, are included done on the single ingredients. In diuresis one more thing to be tested symptomatically is potassium depletion, which other diuretics make, whereas in *shwetha parpati* it is absent. The action of the drug based on the alkalinity/acidity is also tried to be explained.

INTRODUCTION

Mutrakrichra is an important disease pertaining to the *mutravaha shrotas*, and has been mentioned in almost all *Ayurvedic* classical texts. It is a condition in which difficulty in micturation is a main symptom affecting the daily activities of the person. Based on the theoretical and clinical symptomatology it is being correlated to Urinary tract infection (UTI).

UTIs are a leading cause of morbidity & healthcare expenditures in the persons of all ages. Each year UTI accounts for 9.6 millions doctor visits. Women are especially prone to UTI and one in 5 women develops UTI during her lifetime. An estimated 40% of women reported having had UTI at some point in their lives.

Among the *Rasoushadis* classification as *Kharaliya, Parpati, Pottali & Kupipakwa rasayana, Parpati kalpana* is a unique therapeutic mode of presentation with flake like appearance and can be easily powdered.

In modern medicine there are a number of medicines indicated, but they have side effects and are addictive drugs. Antibiotics are the standard treatment for UTIs, but in this era of strains gaining drug-resistance *Rasoushadis* could do better results. Hence the need of an *Ayurvedic drug*

is essential. *Shwetha parpati* is one among *parpati kalpana* and is a *kajjalirahita* preparation. Easy method of preparation and very minute dosage adds on to the benefits of this *kalpana*. Ingredients are also easily available and are economical.

AIM AND OBJECTIVES

1. To study about the *Mutrakrichra vyadhi* and its *samprapti*.
2. To study in detail the yoga of *Shwetha parpati* with its each ingredient- *suryakshara, spatika* and *navasadara*.
3. To study the possible mode of action of *Shwetha parpati* along with that of the contemporary remedies.
4. To study about Diuretics and Alkalinisers in Modern medicine.

MATERIALS AND METHODOLOGY

1. Review of *Mutrakrichra* from *Madhava nidana & Kashyapa samhitha*.
2. Review of *Shodhana* and properties of the ingredients of *Shwetha parpati* – *suryakshara, sphotika & navasadara* from *Rasatarangini, Ayurveda prakasha* and various other text books.

OBSERVATIONS

From the reviews on the disease *Mutrakricha* the following observations were noted:

As per the commentry on *Madhava Nidana*¹ *Mutrakrichra* is a condition of painful micturation and also with great difficulty.

Acharya Kashyapa in the *Mutrakrichra chikitsa adhyaya*² has given the *samprapthi* of the disease as with the vitiation of Pitta followed by Kapha and Vata causes impairment to the functioning of Vasthi producing difficulty in micturation. Hence *Mutrakrichra* is a *Pitha pradanaja vyadhi* with the *Vasthi* as its *adishtana*.

DRUG REVIEW

Shwetha parpati is a *kajjalirahitha parpati kalpana*, got its name pertaining to the colour. Unlike other *parpati kalpanas* which are mainly meant for the *Grahani vikaras* *Shwetha parpati* acts on the *Mutravaha shrothas*. The references of *Shwetha parpati* is from *Rasatantrasara and Siddha Prayogasangraha*³. The yogam contains just three ingredients of:

<i>Suryakshara</i> (Potassium nitrate)	1 part.
<i>Sphatika</i> (Potash Alum)	1/8 th part.
<i>Navasadara</i> (Ammonium chloride)	1/16 th part.

Role of Shodhana

Specific methods had been mentioned for the *shodhana* of these ingredients. Each of these have an added on effect in the action of the drug in the condition of *Mutrakrichra*.

As per *Rasatarangini*⁴, the *shodhana* of *Suryakshara* is by doing 3 *bhavanas* (trituration) in *Ela*(*Elatteria cardamomum*)*toya*. As the classics says, *Mardanam guna vardhanam* here also we can see that this enhances the *mootrala* property of the drug. Also in *Dhanwanthari Nighantu*⁵, *Ela* has been ascertained with the *Vasthi doshagna* effect. The same reference mentions that *Ela* is having *madhura rasa, sheeta veerya* and is having properties of *rojani and deepani* and hence is effective in the conditions of *Mutrakrichra, Shwasa, Kasa and Kshaya*.

Recent researches on the drug of Ela had proven its antibacterial potential (in vitro) and also its diuretic potential.

- “In vitro evaluation of antibacterial potential of dry fruit extracts of *Elateria cardamomum*” has shown the antibacterial activity of the extracts the drug obtained from different solvents against 6 strains of bacteria- Gram-negative and Gram-positive bacteria (*Escherichia coli* MTCC-739, *Salmonella typhi* MTCC-531, *Bacillus cereus* MTCC-430, *Bacillus subtilis* MTCC-736, *Streptococcus pyogenes* MTCC-442, and *Staphylococcus aureus* MTCC-740).⁶
- “Gut modulatory, blood pressure lowering, diuretic and sedative activities of Cardamom” has stated in addition to diuretic action the drug also enhanced the Na⁺ and K⁺ excretion.⁷

According to a report published in 2012 in the Journal Emerging Infectious Diseases⁸, *E. coli* is responsible for more than 85 percent of all UTIs. Antibiotics are the

standard treatment for Urinary tract infections, but some strains of *E. coli*, called Extended Spectrum Beta-Lactamase (ESBL) *E. coli*, are resistant to most of the drugs. By tracking UTI cases from 2000 to 2010, the researchers found that UTI cases caused by *E. coli* resistant to the drug Ciprofloxacin rose from 3 to 17.1%.

SURYAKSHARA

As per Rasatarangini 14/28, *Suryakshara* is having *Katu* and *Lavana rasa* with *Ushna veerya*. Its having the properties of *Teekshna*, *Atyushna* and *Deepaka* and also *Katu vipaka*. Hence having *Vahnipradeepana*, *Ashmarihara* and *Mutrakrucha nashaka* properties.

SPHATIKA

Rasatarangini 11/181-183 attributes the following properties of *Sphatika* that is it's having *Madhura rasa* and its having *Guru* and *Snigdha* properties. Having *Ushna veerya* and *Madhura vipaka*, its having *Vishanashana*, *Garadoshahara* and *Tridosha hara* properties.

NAVASADARA

Rasatarangini 14/5-7 gives the properties of Navasadara as *Snigdha, Sookshma, Laghu, Saraka* and *Teekshna*. Its having *Lavana rasa and Ushna Veerya* and *karma of Tridoshagna, Pachaka and Agni pradeepaka*.

MODE OF ACTION:

When we closely observe the properties of the ingredients we could see that two of them ie, *suryakshara & sphatika* are *ksharas*, and hence they have the *karma* of *shodhana* and *ropana*. From the *samprapthi vighadana* it was clear that *Mutrakrichra* is a *pitta pradhana tridoshaja vyadhi*. *Sphatika* with its *madhura rasa* and *vipaka* alleviates *pitta*. *Suryakshara* being *teekshna and ushna* could act on *kapha and vata*.

Moreover, the presence of salts and their alkaline pH would further reduce the chances of bacterial survival within the Urinary tract. Diuretic action is due to the salts, which maintains the water exchange between the blood and lymph and thus promoting the functioning of kidney thereby preventing stasis of microbes and helps in flushing of microbes.

K^+ which is secreted by distal tubules is more diuretic. When K^+ taken additionally, diminishes H^+ exchange with Na due to common ion effect. *Suryakshara* reduces H^+ concentration in urine acidity. In acidity of urine, due to obstruction it helps to protect the alkaline nature. If K^+ is not supplied to the exchange for Na^+ , more K may be lost- leads to K depletion.

- **Diuretic** is a substance that promotes the production of urine. There are several categories of diuretics. All diuretics increase the excretion of water from body, although each class does so in a distinct way.

Based on their action they are of different types as High ceiling/loop diuretic, Thiazides, Carbonic anhydrase inhibitors, Potassium-sparing diuretics, Calcium-sparing diuretics, Osmotic diuretics and Low ceiling diuretics.

POTASSIUM SPARING DIURETICS

A class of Diuretics which do not promote the secretion of [potassium](#) into the urine. Potassium is normally secreted in the collecting ducts of the kidney, under the control of aldosterone and in proportion to the amount of sodium appearing in the lumen at this level. The aldosterone level is

increased when there is a net sodium loss or a decrease in the effective circulation blood volume. Most diuretics increase the amount of potassium excreted because they present more sodium to the collecting ducts and increase the circulating aldosterone level. The potassium-sparing agents effectively reduce sodium reabsorption in this part of the tubule and thereby reduce potassium excretion.

Their basic mode of action is based on two ways as [Aldosterone antagonists](#) like [spironolactone](#); Spironolactone prevents aldosterone from entering the principal cells, preventing sodium reabsorption thereby preventing Potassium loss. Other group as blockers. They cause the inhibition of [Na⁺/K⁺ exchanger](#). Site of action of this class is the Cortical collecting ducts.

ALKALINIZER

An alkalinizer is a basifier - A chemical which converts into a salifiable base (Capable of neutralizing an acid to form a salt; said of bases; thus, ammonia is salifiable). An alkalinizer is the drug used in all conditions of dysuria. But the most notable thing is that it is contraindicated in

the condition of Hyperkalemia and during the administration of K⁺-sparing agents.

Mechanism of Action

Urinary tract alkalinizer; produces an alkaline load that increases urinary pH and raises urinary citrate by augmenting citrate clearance without measurably altering ultrafilterable serum citrate. Produces urine that is less conducive to crystallization of stone-forming salts.

DISCUSSION

Mutrakrichra is a condition which can be effectively managed by the *Shwetha parpati*. It is a *kajjali rahita parpati kalpana*. Easy availability of ingredients and low cost of production adds on to its benefits. A minimal dosage of 725 mg to 1.250 g (AFI) is needed and the method of preparation is also easy. Moreover it is a non-addictive preparation – can be withdrawn at any point of time and hence is non-habitual. In this era of stains attaining drug resistance the shodhana of *Suryakshara* in *Ela toya* and the proven anti-bacterial property of *Ela* adds on to the efficacy of the yoga. By comparing its action to the contemporary remedies, the action of this yoga proves that it is having the coupled effect

of an alkaliniser and as a potassium sparing diuretic. Its a water soluble preparation with quick absorption & quick action.

CONCLUSION

Mutrakrichra is a common clinical condition-frequently come across in general practise. Urinary tract infection and urinary calculi are the two common causes for dysurea. *Shwetha parpati* is a simple, safe, easy to prepare and administer preparation explained in *Ayurvedic classics*. The effect of *Shwetha parpati* can be understood very well according to *Ayurveda* and contemporary sciences.

REFERENCE

1. Editor Prof. Yadunandana Upadhyaya, Madhava Nidanam, Chaukhambha prakashan, vol.2, Varanasi, Reprint(2009), Madhukosha commentary.
2. Revised by Vatsya, Kashyapa Samhitha, Chaukhambha Sanskrit Sansthan, Varanasi, Reprint(2009), *Mutrakrichra chikitsa 1*.
3. Vaidya Yadhavji Trikamji Acharya, Siddhayoga sangraha, Shri Vaidyanatha Ayurveda Bhavana, Nagpur, Reprint(2007), 18-Ashmari mutrakrichra adhikara.

4. Translated by Dr. Ravindra
Angadi, Rasatarangini, Chaukhamba
Surbharati
Prakashan, Varanasi, 2009, Ksaravisesadi
vijnaniya Taranga 14/35

5. Dr. S. D. Kumar, Dhanvantari
Nighantu, Chaukhambha Sanskrit
Pradhishtan, Delhi, 2002, Ela.

6. Iranian Journal of Pharmaceutial Research-
2010 vol.9(3)287-292 Invitro Evaluation of
Antibacterial Potential of Dry Fruit Extracts
of Elatteria Cardaomum Maton (Chhoti
Elaichi)

7. Journal of Ethnopharmacology-2008 Feb
12, 115(3), 463-472, Gut modulatory, blood
pressure lowering, diuretic and sedative
activities of Cardamom.

8. Journal on Emerging infectious
diseases, E. coli and Urinary Tract
Infection (UTI).